Australian Journal of Botany

Volume 47

Melbourne 1999

Australian Journal of Botany

An international journal for the publication of original research in plant science. Work on all plant groups will be considered: higher plants, algae, fungi and lichens. The scope of the Journal falls into the following main areas: ecology and ecophysiology; conservation biology and biodiversity; forest biology and management; cell and molecular biology; palaeobotany; reproductive biology and genetics; mycology and pathology; and structure and development.

This journal is one of the twelve Australian Journals of Scientific Research published by the Commonwealth Scientific and Industrial Research Organisation (CSIRO) in cooperation with the Australian Academy of Science. Editorial policy for the series is developed by a Board appointed jointly by CSIRO and the Academy of Science.

The Journal assumes that all authors of a multi-authored paper agree to its submission. The Journal has used its best endeavours to ensure that work published is that of the named authors except where acknowledged and, through its reviewing procedures, that any published results and conclusions are consistent with the primary data. It takes no responsibility for fraud or inaccuracy on the part of the contributors.

Editorial Advisory Committee

Acceptance of papers for this journal is supervised by an Editorial Advisory Committee appointed by the Australian Academy of Science and CSIRO on the recommendation of the Board of the Journals. All papers are refereed externally. Committee members may advise the Managing Editor on the selection of referees and may adjudicate in the case of conflicting or adverse reports.

Chairperson	P. M. Attiwill, University of Melbourne
Members	R. Bradstock, NSW NPWS Hurstville
	D. Doley, Department of Botany, University of Queensland
	R. S. Hill, University of Adelaide
	J. A. McComb, Murdoch University
	R. J. Williams, Division of Wildlife and Ecology
Corresponding Members	J. J. Armesto, Universidad de Chile
	M. E. McCully, Carleton University
	H. Shugart, University of Virginia
	L. M. Tsai, Univeriti Putra Malaysia
	E. T. F. Witkowski, University of the Witwatersrand
Editor	S. L. Farrer

Subscriptions for 1999

Library: print and electronic $440
print only $390
electronic $290
Personal (print only): $120
Back issues: $75
Prices are $A for Aust./NZ, $US elswhere
Issued six times a year
ISSN 0067–1924
© CSIRO Australia 1999
Printed by Brown Prior Anderson Pty Ltd

The Notice to Authors is published in the first issue of each volume. Copies are available on request.

All enquiries and manuscripts should be forwarded to:
The Managing Editor
Australian Journal of Botany
PO Box 1139, Collingwood, Vic. 3066, Australia.
Telephone: + 61 3 9662 7613
Facsimile: + 61 3 9662 7611
Email: simone.farrer@publish.csiro.au

Information about the Journal, including the Notice to Authors, is available at http://www.publish.csiro.au/journals/ajb

Permission to photocopy items from this journal is granted by CSIRO to libraries and other users registered with the Copyright Clearance Center (CCC), provided that the stated fee for each copy is paid directly to the CCC, 222 Rosewood Drive, Danvers, MA 01923, USA. Special requests should be addressed to the Managing Editor, *Australian Journal of Botany*, PO Box 1139, Collingwood, Vic. 3066, Australia.

Index to Volume 47

Authors and Titles

Adkins S W *See* Samosir Y M S *et al.* 69

Afshar-Sterle S, Kollmorgen J F, and Fincher G B,
Establishment of fine suspension cultures of *Triticum tauschii* ([Coss.] Schmal.) which remain embryogenic for several years 611

Anderson G J *See* Stiefkens L *et al.* 147

Astarini I A, Yan G, and Plummer JA
Interspecific hybridisation of boronias 851

Bell D T *See* Peishi Z *et al.* 265

Bell D T
Turner Review No. 1. The process of germination in Australian species 475
Australian trees for the rehabilitation of water-logged and salinity-damaged landscapes 697

Bellairs S M *See* Read T R *et al.* 563

Berger J-P
Redefinition of European Oligo–Miocene charophyte biozonation 283

Berliner P R *See* Nativ R *et al.* 577

Bernardello G *See* Stiefkens L *et al.* 147

Bhatia S B
Revision of the charophyte flora of the Siwalik group (Neogene–Quaternary) of the Lesser Himalaya, India 459

Boesewinkel F D
Ovules and seeds of Tremandraceae 769

Bouharmont J *See* Lutts S *et al.* 835

Bridle K L *See* Kirkpatrick J B *et al.* 1

Bridle K L, and Kirkpatrick J B
Comparative effects of stock and wild vertebrate herbivore grazing on treeless subalpine vegetation, Eastern Central Plateau, Tasmania 817

Brock M A *See* Casanova M T *et al.* 383

Brock M A *See* Casanova M T *et al.* 437

Brodribb T *See* Hill R S *et al.* 639

Buchanan A M *See* Rozefelds A C F *et al.* 23

Bullock S *See* McGee P A *et al.* 85

Bullock S *See* Burrows G E *et al.* 795

Burrows G E
The Wollemi pine (*Wollemia nobilis*, Araucariaceae) possesses the same unusual leaf axil anatomy as the other investigated members of the family 61

Burrows G E, and Bullock S
Leaf anatomy of Wollemi pine (*Wollemia nobilis*, Araucariaceae) 795

Carlquist S, Schneider E L, and Kenneally K F
SEM studies on vessels in ferns.
8. *Platyzoma* 277

Carpenter R J *See* Hill R S *et al.* 717

Casanova M T *See* McCourt R M *et al.* 361

Casanova M T, and Brock M A
Life histories of charophytes from permanent and temporary wetlands in eastern Australia 383
Charophyte occurrence, seed banks and establishment in farm dams in New South Wales 437

Cave L *See* Rozefelds A C F *et al.* 23

Chapman R L *See* Meiers S T *et al.* 347

Choengsaat D *See* Peishi *et al.* 265

Clarke P J, and Martin A R H
Sphagnum peatlands of Kosciuszko National Park in relation to altitude, time and disturbance 519

Coates F, and Kirkpatrick J B
Is geographic range correlated with climatic range in Australian *Spyridium* taxa? 755

Crisci J V *See* Katinas L *et al.* 111

Dalgleish E
Effectiveness of invertebrate and vertebrate pollinators and the influence of pollen limitation and inflorescence position on follicle production of *Banksia aemula* (Family Proteaceae) 553

Datt B
Remote sensing of water content in *Eucalyptus* leaves 909

Dixon K A *See* Tieu A *et al.* 207

Döring H, Henssen A, and Wedin M
Ascoma development in *Neophyllis melacarpa* (Lecanorales, Ascomycota), with notes on the systematic position of the genus 783

Dutkowski G W, and Potts B M
Geographic patterns of genetic variation in *Eucalyptus globulus* ssp. *globulus* and a revised racial classification 237

Eamus D *See* Prior L D *et al.* 587

Eldridge D J, and Leys J F
Wind dispersal of the vagant lichen *Chondropsis semiviridis* in semi-arid eastern Australia 157

Ephrath J E *See* Nativ R *et al.* 577

Feist M *See* McCourt R M *et al.* 361

Fincher G B *See* Afshar-Sterle S *et al.* 611

Garcia A
Charophyte flora of south-eastern South Australia and south-western Victoria, Australia: systematics, distribution and ecology 407

Gibbs L, Reid N, and Whalley R D B
Relationships between tree cover and grass dominance in a grazed temperate stringybark (*Eucalyptus laevopinea*) open-forest 49

Gilfedder L *See* Lynch A J J *et al.* 97

Godwin I D *See* Samosir Y M S *et al.* 69

Gordon V *See* Reddell P *et al.* 881

Grabowski V *See* Winter U *et al.* 337

Grigg A H, and Mulligan D R
Biometric relationships for estimating standing biomass, litterfall and litter accumulation of *Acacia salicina* on mined land in central Queensland 807

Haas J N
Charophyte population dynamics during the Late Quaternary at Lake Bibersee, Switzerland 315

Hawes I *See* Schwarz A-M *et al.* 325

Heinemann U *See* Winter U *et al.* 337

Henssen A *See* Döring H *et al.* 783

Hill R S, and Brodribb T
Turner Review No. 2. Southern conifers in time and space 639

Hill R S, and Carpenter R J
Ginkgo leaves from Paleogene sediments in Tasmania 717

Hood V *See* Washington W S *et al.* 77

Hooda N, and Weston C J
Influence of site and fertiliser addition on nutrient cycling in *Eucalyptus globulus* plantations in Gippsland, south-eastern Australia I. Foliage and litter quality 189

Hopkins M S *See* Reddell P *et al.* 881

Howard-Williams C *See* Schwarz A-M *et al.* 325

Hussain M I, and Khoja T M
Chara braunii (Charales, Charophyta) in an arid rainfed waterbody, Saudi Arabia 427

Huxtable C, and Whalley R D B
Emergence and survival of three native grass species sown on roadsides on the Northern Tablelands, New South Wales, Australia 221

James A T, Lawn R J , Williams R W, and Lambrides C J
Cross fertility of Australian accessions of wild mungbean (*Vigna radiata* ssp. *sublobata*) with green gram (*V. radiata* ssp. *radiata*), and black gram (*V. mungo*) 601

Karol K G *See* McCourt R M *et al.* 361

Katinas L, Morrone J J, and Crisci J V
Track analysis reveals the composite nature of the Andean biota 111

Kenneally K F *See* Carlquist S *et al.* 277

Khoja T M *See* Hussain M I *et al.* 427

Kinet J -M *See* Lutts S *et al.* 835

Kirkpatrick J B *See* Lynch A J J *et al.* 97

Kirkpatrick J B *See* Coates F *et al.* 755

Kirkpatrick J B *See* Bridle K L *et al.* 817

Kirkpatrick J B *See* McKenny H J A *et al.* 745

Kirkpatrick J B, and Bridle K L
Environment and floristics of 10 Australian alpine vegetation formations 1

Kirst G O *See* Winter U *et al.* 337

Kollmorgen J F *See* Afshar-Sterle S *et al.* 611

Lambrides C J *See* James A T *et al.* 601

Lawn R J *See* James A T *et al.* 601

Leys J F *See* Eldridge D J *et al.* 157

Lucas S G *See* Zhamangara A K *et al.* 297

Lunt I D, and Morgan J W
Vegetation changes following 10 years of grazing exclusion and intermittent burning in a *Temeda triandra* (Poaceae) grassland reserve in south-eastern Australia 537

Lutts S, Bouharmont J, and Kinet J-M
Physiological characterisation of salt-resistant rice (*Oryza sativa*) somaclones 835

Lynch A J J
Distribution, ecology and rarity of the nationally vulnerable species *Pultenaea selaginoides* (Fabaceae) 865

Lynch A J J, Gilfedder L, and Kirkpatrick J B
The Tasmanian endemic shrub *Acacia axillaris*: conservation ecology applied to the question of rarity or vulnerability 97

Mann H, Proctor V W, and Taylor A S
Towards a biogeography of North American charophytes 445

Margeli M, Pedrola-Monfort J, and Vallès Xirau J
Karyological studies in the genus *Androcymbium* (Colchicaceae) 131

Martin A R H *See* Clarke P J *et al.* 519

Martin A R H
Pollen analysis of Digger's Creek Bog, Kosciuszko National Park: vegetation history and tree-line change 725

Martín-Closas C
Epiphytic overgrowth of charophyte thalli by stromatolite-like structures and fungi in the Lower Cretaceous of the Iberian Ranges (Spain) 305

McCourt R M, Karol K G, Casanova M T, and Feist M
Monophyly of genera and species of Characeae based on *rbc*L sequences, with special reference to Australian and European *Lychnothamnus barbatus* (Characeae: Charophyceae) 361

McGee P A , Bullock S, and Summerell B A
Structure of mycorrhizae of the Wollemi pine (*Wollemia nobilis*) and related Araucariaceae 85

McKenny H J A, and Kirkpatrick J B
The role of fallen logs in the regeneration of tree species in Tasmanian mixed forest 745

Meiers S T, Proctor V W, and Chapman R L
Phylogeny and biogeography of *Chara* (Charophyta) inferred from 18S rDNA sequences 347

Morgan J W *See* Lunt I D *et al.* 537

Morris D I *See* Rozefelds A C F *et al.* 23

Morrone J J *See* Katinas L *et al.* 111

Mulligan D R *See* Grigg A H *et al.* 807

Nativ R, Ephrath J E, Berliner P R, and Saranga Y
Drought resistance and water use efficiency in *Acacia saligna* 577

Odgers B M
Seasonal variation in buried germinable seed banks of grass species in an urban eucalypt forest reserve 623

Papst W A *See* Wahren C-H *et al.* 165

Pedrola-Monfort J *See* Margeli M *et al.* 131

Peishi Z, Plummer J A, Turner D W, Choengsaat D, and Bell D T
Low- and high-temperature storage effects on viability and germinability of seeds of three Australian Asteraceae 265

Plettner I *See* Winter U *et al.* 337

Plummer J A *See* Tieu A *et al.* 207

Plummer J A *See* Peishi Z *et al.* 265

Plummer J A *See* Astarini I A *et al.* 851

Potts B M *See* Dutkowski G W *et al.* 237

Potts M D *See* Twigg L E *et al.* 877

Prior L D , and Eamus D
Seasonal changes in leaf water characteristics of *Eucalyptus tetrodonta* and *Terminalia ferdinandiana* saplings in a northern Australian savanna 587

Proctor V W *See* Meiers S T *et al.* 347

Proctor V W
Charophytivory, Playas y papalotes, a local paradigm of global relevance 399

Proctor V W *See* Mann H *et al.* 445

Read T R, and Bellairs S M
Smoke affects the germination of native grasses of New South Wales 563

Reddell P, Gordon V, and Hopkins M S
Ectomycorrhizas in *Eucalyptus tetrodonta* and *E. miniata* forest communities in tropical northern Australia and their role in the rehabilitation of these forests following mining 881

Reid N *See* Gibbs L *et al.* 49

Rozefelds A C F, Cave L, Morris D I, and Buchanan A M
The weed invasion in Tasmania since 1970 23

Samosir Y M S, Godwin I D, and Adkins S W
A new technique for coconut (*Cocos nucifera*) germplasm collection from remote sites: culturability of embryos following low temperature incubation 69

Saranga Y *See* Nativ R *et al.* 577

Schneider E L *See* Carlquist S *et al.* 277

Schwarz A-M, Hawes I, and Howard-Williams C
Mechanisms underlying the decline and recovery of a characean community in fluctuating light in a large oligotrophic lake 325

Sieler I *See* Tieu A *et al.* 207

Sivasithamparam K *See* Tieu A *et al.* 207

Soulié-Märsche I
Extant gyrogonite populations of *Chara zeylanica* and *Chara haitensis*: implications for taxonomy and paleoecology 371

Stewart-Wade S *See* Washington W S *et al.* 77

Stiefkens L, Bernardello G, and Anderson G J
Karotypic studies in artificial hybrids from *Solanum* sections *Anarrhichomenum* and *Basarthrum* (Solanaceae) 147

Summerell B A *See* McGee P A *et al.* 85

Taylor A S *See* Mann H *et al.* 445

Tieu A, Dixon K A , Sivasithamparam K, Plummer J A, and Sieler I M
Germination of four species of native Western Australian plants using plant-derived smoke 207

Turner D W *See* Peishi Z *et al.* 265

Twigg L E , Wright G R, and Potts M D
Fluoroacetate content of *Gastrolobium brevipes* in central Australia 877

Vallès Xirau J *See* Margeli M *et al.* 131

Wahren C-H, Williams R J , and Papst W A
Alpine and subalpine wetland vegetation on the Bogong High Plains, south-eastern Australia 165

Washington W S, Stewart-Wade S, and Hood V
Phomopsis castanea, a seed-borne endophyte in chestnut trees 77

Wedin M *See* Döring H *et al.* 783

Weston C J *See* Hooda N *et al.* 189

Whalley R D B *See* Gibbs L *et al.* 49

Whalley R D B *See* Huxtable C *et al.* 221

Wiese S *See* Winter U *et al.* 337

Williams R J *See* Wahren C-H *et al.* 165

Williams R W *See* James A T *et al.* 601

Winter U, Kirst G O, Grabowski V, Heinemann U, Plettner I, and Wiese S
Salinity tolerance in *Nitellopsis obtusa* 337

Wright G R *See* Twigg L E *et al.* 877

Yan G *See* Astarini I A *et al.* 851

Zhamangara A K, and Lucas S G
Revision of some Eocene charophytes from the Zaysan Basin, eastern Kazakstan 297